

Single Phase UPS & Accessories



Option	Model	Form	LCD	AVR	VA	Watt	Input Connection	Outlet	RJ11/45	USB	Software	SNMP/ HTTP	Warranty*	SRP (Inc. GST)
BRICs LCD Series		Waveform : Simulated Sine Wave												
A	BR700ELCD	Brick	v	v	700	420	AU Plug (10A)	(8) AU	v	v	PPP	-	2 Years	\$249.00
	BR1000ELCD	Brick	v	v	1000	600	AU Plug (10A)	(8) AU	v	v	PPP	-	2 Years	\$339.00
	BR1200ELCD	Brick	v	v	1200	720	AU Plug (10A)	(8) AU	v	v	PPP	-	2 Years	\$429.00
UT Series		Waveform : Simulated Sine Wave												
B	UT650EG	Tower	-	v	650	360	AU Plug (8A)	(3) AU	v	-	-	-	2 Years	\$129.00
	UT850EG	Tower	-	v	850	425	AU Plug (8A)	(3) AU	v	v	PPP	-	2 Years	\$159.00
Value SOHO Series		Waveform : Simulated Sine Wave												
C	Value2200ELCD	Tower	v	v	2200	1320	IEC C14 (10A)	(4) AU	v	v	PPP	-	2 Years	\$519.00
Value Pro Series		Waveform : Simulated Sine Wave												
D	VP700ELCD	Tower	v	v	700	390	IEC C14 (10A)	(3) AU	v	v	PPP	-	2 Years	\$199.00
	VP1000ELCD	Tower	v	v	1000	550	IEC C14 (10A)	(3) AU	v	v	PPP	-	2 Years	\$259.00
	VP1200ELCD	Tower	v	v	1200	720	IEC C14 (10A)	(4) AU	v	v	PPP	-	2 Years	\$359.00
	VP1600ELCD	Tower	v	v	1600	960	IEC C14 (10A)	(4) AU	v	v	PPP	-	2 Years	\$419.00
PFC Sinewave Series		Waveform : Pure Sine Wave												
E	CP900EPFCLCDa	Tower	v	v	900	540	IEC C14 (10A)	(6) AU	v	v	PPP	-	2 Years	\$429.00
	CP1350EPFCLCD	Tower	v	v	1350	810	IEC C14 (10A)	(6) AU	v (RJ45)	v	PPB	Optional	2 Years	\$589.00
	CP1600EPFCLCD	Tower	v	v	1600	1000	IEC C14 (10A)	(6) AU	v (RJ45)	v	PPB	Optional	2 Years	\$679.00
Office Rackmount Series		Waveform: Simulated Sine Wave												
F	OR600ERM1U	Rack	v	v	600	360	IEC C14 (10A)	(6) IEC C13	v	v	PPB	Optional	2 Years	\$749.00
	OR1000ERM1U	Rack	v	v	1000	600	IEC C14 (10A)	(6) IEC C13	v	v	PPB	Optional	2 Years	\$879.00
	OR1500ERM1U	Rack	v	v	1500	900	IEC C14 (10A)	(6) IEC C13	v	v	PPB	Optional	2 Years	\$1059.00
Professional Tower Series		Waveform : Pure Sine Wave												
G	PR750ELCD	Tower	v	v	750	675	IEC C14 (10A)	(6) IEC C13	-	v	PPB	Optional	3 Years	\$709.00
	PRI000ELCD	Tower	v	v	1000	900	IEC C14 (10A)	(8) IEC C13	-	v	PPB	Optional	3 Years	\$1039.00
	PR1500ELCD	Tower	v	v	1500	1350	IEC C14 (10A)	(8) IEC C13	-	v	PPB	Optional	3 Years	\$1,269.00
	PR2200ELCDSL	Tower	v	v	2200	1980	IEC C14 (10A)	(8) IEC C13	-	v	PPB	Optional	3 Years	\$1,629.00
	PR3000ELCDSL	Tower	v	v	3000	2700	IEC C20 (15A)	(8) IEC C13, (1) IEC C19	-	v	PPB	Optional	3 Years	\$1,879.00
Professional Rackmount Series		Waveform : Pure Sine Wave												
H	PRI000ELCDRTIU	RM/T	v	v	1000	800	IEC C14 (10A)	(6) IEC C13	-	v	PPB	Optional	3 Years	\$1,079.00
	PR1500ERT2U	RM/T	v	v	1500	1500	IEC C14 (10A)	(10) IEC C13	v	v	PPB	Optional	3 Years	\$1,719.00
	PR1000ERTXL2U**	RM/T	v	v	1000	1000	IEC C14 (10A)	(10) IEC C13	v	v	PPB	Optional	3 Years	\$1,679.00
	PR1500ERTXL2U**	RM/T	v	v	1500	1500	IEC C14 (10A)	(10) IEC C13	v	v	PPB	Optional	3 Years	\$1,989.00
	PR2000ERTXL2U**	RM/T	v	v	2000	2000	IEC C14 (10A)	(10) IEC C13	v	v	PPB	Optional	3 Years	\$2,329.00
	PR3000ERTXL2U**	RM/T	v	v	3000	3000	IEC C20 (16A)	(2) IEC C19, (6) IEC C13	v	v	PPB	Optional	3 Years	\$3,149.00
Extended Battery Module		Details												
I	BP48VP2U01	External battery packs for Professional Rackmount Series (PR1000ERTXL2U)												\$1069.00
	BP48VP2U02	External battery packs for Professional Rackmount Series (PR1500ERTXL2U, PR2000ERTXL2U, PR3000ERTXL2U)												\$1339.00
Online S Series		Waveform : Online Double Conversion, Pure Sine Wave												
J	OLS1000E**	Tower	v	-	1000	900	IEC C14 (10A)	(4) IEC C13	v	v	PPB	Optional	2 Years	\$909.00
	OLS1500E**	Tower	v	-	1500	1350	IEC C14 (10A)	(4) IEC C13	v	v	PPB	Optional	2 Years	\$1,239.00
	OLS2000E**	Tower	v	-	2000	1800	IEC C20 (10A)	(4) IEC C13, (1) Terminal Block	v	v	PPB	Optional	2 Years	\$1,679.00
	OLS3000E**	Tower	v	-	3000	2700	IEC C20 (15A)	(1) IEC C19, (4) IEC C13, (1) Terminal Block	v	v	PPB	Optional	2 Years	\$1,849.00
	OLS6KE	Tower	v	-	6000	6000	Hard-wired	(1) Terminal Block	-	v	PPB	Remote Cloud Card Built In	2 Years	\$4,309.00
	OLS10KE	Tower	v	-	10000	10000	Hard-wired	(1) Terminal Block	-	v	PPB	Remote Cloud Card Built In	2 Years	\$5,069.00
	OLS1000ERT2Ua**	RM/T	v	-	1000	900	IEC C14 (10A)	(8) IEC C13	v	v	PPB	Optional	2 Years	\$1,159.00
	OLS2000ERT2Ua**	RM/T	v	-	2000	1800	IEC C14 (10A)	(8) IEC C13	v	v	PPB	Optional	2 Years	\$1,439.00
	OLS3000ERT2Ua**	RM/T	v	-	3000	2700	IEC C20 (16A)	(8) IEC C13, (1) IEC C19	v	v	PPB	Optional	2 Years	\$1,829.00
	OLS6KERT5U**	RM/T	v	-	6000	6000	Hard-wired	(1) Terminal Block	-	v	PPB	Optional	2 Years	\$6,319.00
	OLS10KERT5U**	RM/T	v	-	10000	10000	Hard-wired	(1) Terminal Block	-	v	PPB	Optional	2 Years	\$7,259.00
Extended Battery Module		Details												
K	BPSE36V45A	External battery packs for Online S Series (OLS1000E / OLS1500E)												\$749.00
	BPSE72V45A	External battery packs for Online S Series (OLS2000E / OLS3000E)												\$1,249.00
	BPS240V7A	External battery packs for Online S Series (OLS6KE)												\$3,679.00
	BPS240V9A	External battery packs for Online S Series (OLS10KE)												\$4,229.00
	BPSE24V40ART2U	External battery packs for Online S Series (OLS1000ERT2Ua)												\$829.00
L	BPSE48V40ART2U	External battery packs for Online S Series (OLS2000ERT2Ua)												\$1,159.00
	BPSE72V40ART2U	External battery packs for Online S Series (OLS3000ERT2Ua)												\$1,549.00

Option	Model	Form	LCD	AVR	VA	Watt	Input Connection	Outlet	RJ11/45	USB	Software	SNMP/ HTTP	Warranty*	SRP (Inc. GST)
Extended Battery Module		Details												
M	BPS240V7ART3U	External battery packs for Online S Series (OLS6KERT5U)												\$2,699.00
	BPS240V9ART3U	External battery packs for Online S Series (OLS10KERT5U)												\$3,009.00
Online Series		Waveform : Online Double Conversion, Pure Sine Wave												
N	OL1500ERTXL2U**	RM/T	v	-	1500	1350	IEC C14 (10A)	(8) IEC C13	v	v	PPB	Optional	2 Years	\$2,239.00
	OL2000ERTXL2U**	RM/T	v	-	2000	1800	IEC C14 (10A)	(8) IEC C13, (1) IEC C19	v	v	PPB	Optional	2 Years	\$2,259.00
	OL3000ERTXL2U**	RM/T	v	-	3000	2700	IEC C20 (15A)	(8) IEC C13, (1) IEC C19	v	v	PPB	Optional	2 Years	\$2,999.00
Manual Bypass PDU		Details												
O	MBP20HVAU3	Hot Swap Maintenance Bypass for 1-3kVA, 1 x IEC C19 and 3 x AU Outlets. 19" rack horizontal or vertical mounting on CyberPower rack mount UPSs. Support UPS of maximum rating up to 3kVA.												\$479.00
Extended Battery Module		Details												
P	BPE36V60ART2US	External battery packs for Online Series (OL1500ERTXL2U)												\$999.00
	BPE72V60ART2US	External battery packs for Online Series (OL2000ERTXL2U / OL3000ERTXL2U)												\$1,589.00
Online (High-Density) Series		Waveform: Online Double Conversion, Pure Sine Wave												
Q	OL6KERTHD	RM/T	v	-	6000	6000	Hard-wired	(4) IEC C13, (2) IEC C19, (1) Terminal Block	-	v	PPB	Included	2 Years	\$8,629.00
	OL10KERTHD	RM/T	v	-	10000	10000	Hard-wired	(6) IEC C13, (4) IEC C19, (1) Terminal Block	-	v	PPB	Included	2 Years	\$12,679.00
Extended Battery Module		Details												
R	BPE144VL2U01	External battery packs for Online (High-Density) Series (OL5KERTHD, OL6KERTHD)												\$3,129.00
	BPE192VL2U01	External battery packs for Online (High-Density) Series (OL10KERTHD)												\$3,529.00
UPS Accessories		Details												
S	RMCARD205	Optional SNMP Card for remote management and monitoring of PFC Sinewave - New, Office Rackmount, Professional, Online, Online S, 3-Phase Series UPS via the SNMP/HTTP network slot, and supports Environmental Sensor connection.												\$469.00
	RMCARD400	Gigabit SNMP Card option for remote management and monitoring of PFC Sinewave - New, Professional, Online, and Online S Series UPS, supporting connection of an Environmental Sensor.												\$609.00
T	RCCARD100	Optional component providing the multi-site UPS monitoring solution through the cloud. Compatible products include PFC Sinewave - New, Office Rackmount, Professional, Online, Online (High-Density), and Online S Series UPS.												\$129.00
	RWCCARD100	Add-on card with wireless connection feature to allow convenient cloud management of PFC Sinewave - New, Office Rackmount, Professional, Online, Online (High-Density), and Online S Series UPS.												\$149.00
U	RELAYIO500	Onsite UPS status monitoring & local device control. Optional purchase for Office Rackmount, Professional, Online and Online S Series UPS.												\$219.00
V	ENVIROSENSOR	Real-time environment monitoring option for Office Rackmount, Professional, Online and Online S Series UPS. Bundle operation with RMCARD205, cannot operate independently.												\$339.00
W	SNEV001	Daisy Chain Environmental Sensor, allowing to monitor up to 4 connected devices independently.												\$349.00
	IEC to AU Cable adaptor	IEC-3pin AU cable adaptor												\$11.00
	4POSTRAILKIT1832	Slide Rack Rail Kit to suit non XL PR750/1000, OR600/1000/1500												\$279.00
Replacement Battery Pack		Details												
X	RBPO007	Replacement battery pack for CP900EPFCLCdA												\$79.00
	RBPO016 / RB1280X2B	Replacement battery pack for CPI500EPFCLCdA												\$139.00
	RBPO019 / RB0690X2	Replacement battery pack for OR600ELCDRM1U, OR600ERM1U												\$119.00
	RBPO025 / RB0670X4	Replacement battery pack for ORI000ERM1U												\$129.00
	RBPO026 / RB0690X4	Replacement battery pack for ORI500ERM1U												\$129.00
	RBPO014 / RB1270X2B	Replacement battery pack for PR750ELCD												\$109.00
	RBPO106 / RB12120X2B	Replacement battery pack for PRI000ELCD												\$179.00
	RBPO023 / RB12170X2A	Replacement battery pack for PRI500ELCD												\$279.00
	RBPO116 / RB1290X4K	Replacement battery pack for PR2200ELCDSL, PR3000ELCDSL												\$259.00
	RBPO027 / RB0690X4A	Replacement battery pack for PR750ELCDRT1U, PR1000ELCDRT1U												\$179.00
	RBPO128 / RB1270X4H	Replacement battery pack for PRI000ERT2U, PRI000ERTXL2U, BP48VP2U01												\$249.00
	RBPO129 / RB1290X4J	Replacement battery pack for PRI500ERT2U, PRI500ERTXL2U, PR2000ERTXL2U, PR3000ERTXL2U, BP48VP2U02												\$279.00
	RBPO030 / RB1270X4A	Replacement battery pack for PRI000ELCDRT2U, PRI500ELCDRT2U												\$249.00
	RBPO040 / RB1290X4D	Replacement battery pack for PR3000ELCDRT2U, PRI500ELCDRTXL2U, PR2000ELCDRTXL2U												\$289.00
	RBPO037 / RB1290X4A	Replacement battery pack for PR2200ELCDRT2U												\$289.00
	RBPO076 / RBP1290X6A	Replacement battery pack for OL2000ERTXL2U / OL3000ERTXL2U												\$409.00
	RBPO134 / RBP1270X20	Replacement battery pack for OL6000ERT3UP/BPE240V30ART3U (2x RBP0073 required for each UPS)												\$1,289.00
	RBPO133 / RBP1290X20	Replacement battery pack for OL10000ERT3UP/BPE240V50ART3U (2x RBP0072 required for each UPS)												\$1,549.00
	RBPO131 / RBP1290X6B	Replacement battery pack for BPE72V60ART2US												\$889.00
	RBPO156	Replacement battery pack for OLS1000ERT2UA												\$169.00
RBPO153	Replacement battery pack for BPSE24V40ART2U (2x RBP0156)												\$329.00	
RBPO157	Replacement battery pack for OLS2000ERT2UA												\$279.00	
RBPO154	Replacement battery pack for BPSE48V40ART2U (2x RBP0157)												\$549.00	
RBPO158	Replacement battery pack for OLS3000ERT2UA												\$439.00	
RBPO155	Replacement battery pack for BPSE72V40ART2U (2x RBP0158)												\$879.00	



Three Phase UPS			
Option	Model	Description	SRP (Inc. GST)
RT33 (3-Phase)		Details	
A	RT33010KE	10kVA 400/230Vac 3-Phase In / 400/230Vac 3-Phase Out UPS, external battery 480Vdc	\$7,329.00
	RT33015KE	15kVA 400/230Vac 3-Phase In / 400/230Vac 3-Phase Out UPS, external battery 480Vdc	\$7,539.00
	RT33020KE	20kVA 400/230Vac 3-Phase In / 400/230Vac 3-Phase Out UPS, external battery 480Vdc	\$7,739.00
	RT33025KE	25kVA 400/230Vac 3-Phase In / 400/230Vac 3-Phase Out UPS, external battery 480Vdc	\$8,419.00
	RT33030KE	30kVA 400/230Vac 3-Phase In / 400/230Vac 3-Phase Out UPS, external battery 480Vdc	\$8,769.00
	BM240V63ART3U	Battery Pack 9AH * 20pcs	\$1,679.00
	MBS63AHVHWW	Maintenance Bypass Switch for RT33010KE / RT33015KE / RT33020KE / RT33025KE / RT33030KE	\$1,339.00
Online (3-Phase)		Details	
B	OL3T030KERTHD	30kVA 400/230Vac 3-Phase In / 400/230Vac 3-Phase Out UPS, external battery 480Vdc	\$6,589.00
	OL3T040KERTHD	40kVA 400/230Vac 3-Phase In / 400/230Vac 3-Phase Out UPS, external battery 480Vdc	\$7,309.00
	OL3T045KERTHD	45kVA 400/230Vac 3-Phase In / 400/230Vac 3-Phase Out UPS, external battery 480Vdc	\$7,529.00
	BME480V55ART5U	Battery Pack 9AH * 40pcs	\$2,619.00
Online S (3-Phase)		Details	
C	OLS3S15KE	15kVA 400/230Vac 3-Phase In / 230Vac 1-Phase Out UPS, internal battery 12V/9AH 20pcs * 2 sets	\$9,169.00
	OLS3S20KE	20kVA 400/230Vac 3-Phase In / 230Vac 1-Phase Out UPS, internal battery 12V/9AH 20pcs * 2 sets	\$11,459.00
	OLS3S20KEXL	20kVA 400/230Vac 3-Phase In / 230Vac 1-Phase Out UPS, external battery 240Vdc	\$8,599.00
	BPSE240V82A	Battery Pack 9AH * 20pcs * 2sets	\$3,439.00
Modular UPS (3-Phase)		Details	
D	SM30KPMX	3-Phase UPS power module	\$6,879.00
	SM180KMFX	3-Phase UPS 180kVA cabinet	\$13,749.00
	SM300KMFX	3-Phase UPS 300kVA cabinet	\$20,629.00
	SM600KMFX	3-Phase UPS 600kVA cabinet	\$55,009.00
	SM20KPM	3-Phase UPS power module	\$5,499.00
	SM060KMF	3-Phase UPS 60kVA cabinet	\$8,249.00
	SM120KMF	3-Phase UPS 120kVA cabinet	\$11,349.00
	SM200KMF	3-Phase UPS 200kVA cabinet	\$15,469.00
	SM060KDF	Dust Filter for SM060KMF	\$209.00
	SM120KDF	Dust Filter for SM120KMF	\$279.00
	SM200KDF	Dust Filter for SM200KMF	\$479.00
	SMNPNK	Parallel kit for cabinet	\$859.00
HSTP3T (3-Phase)		Details	
E	HSTP3T10KE	10kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T10KEBC	10kVA 400/230Vac 3-Phase UPS, cabinet with built-in batteries	POA
	HSTP3T10KEBCWOB	10kVA 400/230Vac 3-Phase UPS, cabinet without built-in batteries	POA
	HSTP3T15KE	15kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T15KEBC	15kVA 400/230Vac 3-Phase UPS, cabinet with built-in batteries	POA
	HSTP3T15KEBCWOB	15kVA 400/230Vac 3-Phase UPS, cabinet without built-in batteries	POA
	HSTP3T20KE	20kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T20KEBC	20kVA 400/230Vac 3-Phase UPS, cabinet with built-in batteries	POA
	HSTP3T20KEBCWOB	20kVA 400/230Vac 3-Phase UPS, cabinet without built-in batteries	POA
	HSTP3T30KE	30kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T30KEBC	30kVA 400/230Vac 3-Phase UPS, cabinet with built-in batteries	POA
	HSTP3T30KEBCWOB	30kVA 400/230Vac 3-Phase UPS, cabinet without built-in batteries	POA

Three Phase UPS			
Option	Model	Description	SRP (Inc. GST)
HSTP33 (3-Phase)		Details	
E	HSTP3T40KE	40kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T40KEBC	40kVA 400/230Vac 3-Phase UPS, cabinet with built-in batteries	POA
	HSTP3T40KEBCWOB	40kVA 400/230Vac 3-Phase UPS, cabinet without built-in batteries	POA
	HSTP3T60KE	60kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T80KE	80kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T90KE	90kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T100KE	100kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T120KE	120kVA 400/230Vac 3-Phase UPS	POA
	PARLCARD301	Parallel card for HSTP3T10/15KE Series	POA
	PARLCARD302	Parallel card for HSTP3T20/30KE Series	POA
	PARLCARD303	Parallel card for HSTP3T40KE Series	POA
	PARLCARD304	Parallel card for over HSTP3T60KE Series	POA
Batteries			
Option	Model	Description	SRP (Inc. GST)
Battery Cabinet and Accessories		Details	
F	SMBF17	Main frame battery cabinet for optional batteries 17AH 40pcs	POA
	SMBF20	Main frame battery cabinet for optional batteries 20AH 40pcs	POA
	SMBF26	Main frame battery cabinet for optional batteries 26AH 40pcs	POA
	SMBF33	Main frame battery cabinet for optional batteries 33AH 40pcs	POA
	SMBF40	Main frame battery cabinet for optional batteries 40AH 40pcs	POA
	SMBF65	Main frame battery cabinet for optional batteries 65AH 40pcs	POA
	SMBCB125	Circuit breaker magnetic Nader NDM2Z-125 3P, 125A/3 poles	POA
	SMBCB250	Circuit breaker magnetic Nader NDM2Z-250 3P, 250A/3 poles	POA
	SMBCB400	Circuit breaker magnetic Nader NDM2Z-400 3P, 400A/3 poles	POA
	SM125C20_17	Internal cable and copper bar for SM125C20_17	POA
G	SM250C40_26	Internal cable and copper bar for SM250C40_26	POA
	SM400C65	Internal cable and copper bar for SM400C65	POA
Battery		Details	
G	BP17-12	Battery VRLA BB BP17- 12FR 12V/17AH B1	POA
	BP20-12	Battery VRLA BB BP20-12FR 12V/20AH B1	POA
	BP26-12	Battery VRLA BB BP26-12FR 12V/26AH I1	POA
	BP40-12	Battery VRLA BB BP40-12FR 12V/40AH I1	POA
	BP65-12	Battery VRLA BB BP65-12FR 12V/65AH I2	POA
Battery Cabinet		Details	
H	SMBF18A2BT	Battery cabinet without batteries, for up to 8 * SMBT9A10 battery trays POA	POA
	SMBF36A4BT	Battery cabinet without batteries, for up to 16 * SMBT9A10 battery trays POA	POA
	SMBF72A8BT	Battery cabinet without batteries, for up to 32 * SMBT9A10 battery trays POA	POA
	SMBT9A10	Battery tray with 10 * 12V/9AH batteries POA	POA
Smart Management Solutions			
Option	Model	Description	SRP (Inc. GST)
SNMP Card & Sensor		Details	
I	RMCARD205	SNMP card for 3-Phase UPS	\$469.00
	SMTEMP	Temperature Sensor for 3-Phase UPS	\$69.00

Racks			
Option	Model	Description	SRP (Inc. GST)
Floor Standing Rack			
J	CR24U1001FP	24U 600mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$1,289.00
	CR24U11001	24U 600mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$1,689.00
	CR42U11001FP	42U 600mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$1,709.00
	CR42U11001	42U 600mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$2,339.00
	CR42U11002	42U 750mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$2,279.00
	CR42U11003	42U 600mm wide 1200mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$2,239.00
	CR42U11004	42U 750mm wide 1200mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$2,679.00
	CR48U11001	48U 600mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$2,159.00
	CR48U11002	48U 600mm wide 1200mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$2,599.00
Wall Mount Enclosures			
K	CR12U51001	12U 600mm wide 600mm deep swing-out wall mount enclosure, hex perforated metal door, 60kg loading capacity	\$449.00
	CR9U61001	9U 600mm wide 600mm deep wall mount enclosure, hex perforated metal door, 60kg loading capacity	\$359.00
	CR6U61001	6U 600mm wide 600mm deep wall mount enclosure, hex perforated metal door, 60kg loading capacity	\$309.00
4-Post Open Frame Rack			
L	CR45U40001	45U 600mm wide 558.8mm-1023mm deep 4-post open frame rack, depth adjustable, 800kg loading capacity	\$709.00
	CR25U40001	25U 600mm wide 558.8mm-1023mm deep 4-post open frame rack, depth adjustable, 800kg loading capacity	\$509.00
Fans			
M	CRA12001	208/240Vac roof fan panel, 6 * fans, for 1070mm-1200mm deep enclosures	\$299.00
	CRA12002	208/240Vac wall mount fan kit, 2 * fans	\$109.00
	CRA12003	208/240Vac 19" 3U fan panel, 3 * fans	\$159.00
Air Flow Management			
N	CRA20001	1U blanking panel kit, toolless installation, 10pcs per pack	\$79.00
Cable Management			
O	CRA30001	Vertical duct cable manager with cover, 2 * 1.8m sections, toolless mounting	\$89.00
	CRA30002	19" 1U metal duct cable manager with cover	\$19.00
	CRA30003	19" 1U plastic duct cable manager with cover	\$19.00
	CRA30004	19" 1U flexible ring cable manager	\$19.00
	CRA30005	19" 1U brush panel	\$19.00
	CRA30006	19" 2U flexible ring cable manager	\$39.00
	CRA30007	Vertical flexible ring cable manager, 2 * 1.8m sections, toolless mounting	\$89.00
	CRA30008	Cable ladder 3m, 2 * 1.5m sections	\$149.00
	CRA30009	Power cable trough, for 600mm wide rack enclosures	\$89.00
	CRA30010	Data cable partitions, 2 partitions, for 600mm wide rack enclosures	\$99.00
Security			
P	CRA40001	Combination door lock, 2 per pack	\$129.00
Shelves			
Q	CRA50001	19" 2U cantilever shelf, 350mm deep	\$49.00
	CRA50002	19" 1U cantilever shelf, 350mm deep	\$49.00
	CRA50003	19" 1U sliding shelf, 650mm deep	\$119.00
	CRA50004	19" 1U sliding keyboard shelf, 500mm deep	\$129.00
	CRA50005	19" 1U heavy duty fixed shelf, 650mm deep, mounting depth adjustable, for rack enclosure	\$119.00
	CRA50006	19" 1U heavy duty 558.8mm-1023mm depth adjustable shelf, for 4-post open-frame rack	\$189.00
Rack Hardware			
R	CRA60001	M6 cage nut and screw hardware, 50 per pack	\$29.00
	CRA60002	Caster kit, 4 per pack	\$69.00
	CRA60003	Heavy duty caster kit, 4 per pack, with 4 * leveling feet and 2 * L-shape plates	\$199.00
	CRA60004	Rack enclosure stabiliser kit, 2 per pack	\$129.00

Power Distribution Units		
SPP Guide Model	Size	SRP (Inc. GST)
Basic		
PDU20BHVIEC12Ra	1U	\$249.00
PDU10BVHVIEC20F	0U	\$329.00
PDU20MVHVIEC24F	0U	\$539.00
Monitored		
PDU31004	1U	\$779.00
PDU31005	1U	\$859.00
PDU31406	0U	\$1,569.00
PDU31414	0U	\$1,119.00
PDU33402	0U	\$2,249.00
Switched		
PDU41004	1U	\$929.00
PDU41005	1U	\$1,019.00
PDU41404	0U	\$1,869.00
PDU41405	0U	\$2,159.00
Switched Metered-by-Outlet		
PDU81004	1U	\$1,039.00
PDU81005	1U	\$1,129.00
PDU81404	0U	\$2,119.00
PDU81405	0U	\$2,459.00
PDU83401	0U	\$3,049.00
PDU83402	0U	\$3,549.00
PDU83403	0U	\$4,199.00
Metered ATS		
PDU24004	1U	\$1,009.00
PDU24005	1U	\$1,069.00
PDU24302	2U	\$1,499.00
Switched ATS		
PDU44004	1U	\$1,269.00
PDU44005	1U	\$1,319.00




Battery Management System	
Model	BM100
Electrical	
Input DC Voltage Range	15-60Vdc
Power Consumption	4W
Number of Monitored Strings	4
Number of String Batteries	40
Management & Communication	
UPS Monitoring	DB9 - CyberPower UPS Protocol
Building Management System	RJ45 - RS485 Communication
Configuration and Environmental Sensor	RJ45 - Local Diagnostic, Firmware Upgrade or with Optional Environmental Sensor
Network Protocols	IPv4, TCP/IP, UDP, SNMPv1, HTTP, NTP, DNS, Telnet, DHCP, SMTP, FTP, IPv6, SNMPv3, HTTPs, SSH, SSL, TLS
Network Connection	RJ45 - 10/100Mbps Ethernet
Indicators	LCD and 5 Status LEDs
Physical	
Unpackaged Dimensions (WxDxH)(cm)	21 x 10 x 2.9
Unpackaged Net Weight (kg)	0.573
Environmental	
Operating Temperature	-40°F to 140°F (-40°C to 60°C)
Operating Humidity	0% - 90% Non-condensing
Operating Elevation	0-10,000 ft (0-3,000 m)
Certifications	
Safety	FCC Class A, CE
Environmental	RoHS Compliant
Warranty	
Product Warranty	1 Year Limited
SRP (Inc. GST)	\$609.00

Model	BP100-12V
Electrical	
Battery Rating Voltage	12V
Battery Rating Capacity	5-200Ah
Battery Type	Valve-Regulated Lead-Acid (VRLA), Vented Lead Acid (VLA)
Power Requirement	8-15V
Power Consumption	Normal operation < 180mW (12V/< 15mA)
Battery Resistance Range	1.0-60mΩ
Battery Leakage Current	< 100uA
Circuit Protection	DC fuse
Equalization Acceptable Voltage	> 13.2V
Features	
Internal Resistance Resolution/Accuracy	0.01mΩ/< 5%
Voltmeter Resolution/Accuracy	10 mV/<2%
Temperature Resolution	0-60°C with accuracy < 1°C, -40-0°C with accuracy < 2°C
Charge Balance	+/- 50mV typically
Communication	
Management Interface	RJ11 interface to Battery Manager and Probe
Indicators	1 Green LED and 1 Red LED
Isolation	Optically isolated from sensor photo coupler
Physical	
Unpackaged Dimensions (WxDxH)(cm)	5.5 x 8.0 x 2.5
Unpackaged Net Weight (kg)	0.055
Battery Interface	Ring terminal with 18" wire
Environmental	
Operating Temperature	-40°F to 140°F (-40°C to 60°C)
Operating Humidity	0% - 90% Non-condensing
Operating Elevation	0-10000 ft (0-3000 m)
Certifications	
Safety	FCC Class A, CE
Environmental	RoHS Compliant
Warranty	
Product Warranty	1 Year Limited
SRP (Inc. GST)	119

Telecom Power		
Model	CSN27U12V-AZ2	CS24U12V
AC Input		
Input Voltage Range	90Vac - 264Vac	90Vac - 264Vac (Universal Input)
Input Frequency Range	47 - 70 Hz	
Input Power Cord	AS/NZS 3112I; EC60320 C8	
Output Ground Reference	Floating Ground	
DC Output		
On Battery Output Voltage	12Vdc	
Continuous Power Capability	24W	
Output Power Max	26.4W (< 3 sec)	24W
Efficiency (at Full Load)	> 80%	> 85%
Battery		
Battery Type	Sealed, Maintenance Free Lead-Acid Battery	
Number of Batteries	7.2AH/12V x 1	
Typical Recharge Time	14 Hours (90% charged)	18 Hours
Replaceable	Yes	
Surge Protection and Filtering		
Lightning/Surge Protection	Yes	
Warning Diagnostics		
Audible Indicator	Utility Failure, Low Battery	
LED Indicators	Utility Failure, Low Battery, Replace Battery	Utility Failure, Low Battery
Management		
Auto-Charge	Yes	
Communication Interface	On Battery, Replace Battery, Battery Missing, Low Battery	
Physical		
Maximum Dimensions (cm)	16.7 x 19 x 8.3	23.5 x 15.9 x 8.9
Weights (kg)	3.03	3.3
Weights (kg)	3.03	3.3
Operating Temperature	4°F - 113°F (-20°C -45°C) Operation at 50°C (122°F) with derating to 18W	32°F to 104°F (0°C to 40°C)
Operating Humidity	0 - 95% noncondensing within enclosure	
Max Operating Elevation	10,000 ft (3,000m)	
Max Storage Elevation	50,000 ft (15,000m)	
Storage Temperature	-4°F - 113°F (-20°C - 45°C)	5°F to 113°F (-15°C to 45°C)
SRP (Inc. GST)	POA	

*Cyberpower reserves the right to change specification or pricing, without prior notice.





About CyberPower

Founded in 1997, CyberPower has followed a path to success through engineering excellence and quality standards in power protection and computer accessories. At our advanced technology manufacturing facilities, we build a comprehensive line of power protection products, including Uninterruptible Power Supplies (UPS), Racks, Power Distribution Units (PDUs), Power Inverters, Surge Protectors, Mobile Chargers, power management software and computer peripheral accessories. After years of implementation of a global branding strategy, what we've provided to millions of satisfied customers are not only award-winning products, but a sense of security.

Whether you are an IT professional working in a corporate data centre, an owner of a small-to-medium business, or a consumer using electronic devices at home, CyberPower has a wide range of power solutions to safeguard your critical equipment and valued data.