

IQSHARE



IQSHARE BUTTON

Gen 2

As a Click-to-Share button for wireless presentation, IQShare Button Gen2 adopts Ultra Fast Casting(UFC) technology, screen mirroring of your personal device to the meeting room's IQTouch with extended BYOM feature.






UFC (Ultra Fast Casting)
technology



Two buttons with
customized button



Plug & play



Automatic pairing



APP Free



Touchback



4K wireless casting



Wireless BYOM

Faster than ever with Wi-Fi 6 NEW

IQShare Button Gen2 is based on Wi-Fi 6 technology, which enables UFC (Ultra fast casting) to achieve second startup second connection, even faster than wired direct connection, elevating the casting experience to a new height. Significantly accelerate the efficiency of conference presentation and ensure stable and smooth presentation performance.





No App, no hassle NEW

No need to install any APP, just one click, IQShare Button Gen2 can realize APP casting and reverse view screen content. With multiple wireless receiving devices in a conference room, the IQShare Button Gen2 also supports wireless selection of receiving devices for greater ease of pairing.

One stone, two birds NEW

The IQShare Button Gen2 includes both HDMI (H5) and Type-C (C5) ports for crystal clear, smooth data transfer and BYOM functionality. Besides, C5 dongle with its ergonomic anti-loss design, can be used as both Type-C and USB dongle. Adaptable to wide range of laptop types.






Dual-Button innovation

Embrace boundless possibilities with our dual-button innovation. One button seamlessly projects your content wirelessly, while the other opens a world of customization like screen freeze, screen expansion, screen exclusivity, and shortcut key, putting you in full control of your presentations.

Get in on the extra button

The customized button is a fast track to your favorite features after screen sharing. By default, it is set to freeze the screen. You can choose more actions in the setting to exclusive full screen, extended screen, mute, and shortcut.



Easy pairing

Seamless plug & play | No software needed

It offers a plug & play experience - just plug it into your laptop, press the button, and start screen sharing instantly. No installations, no fuss.






Cross-platform compatibility

OS independent | Cross-Platform versatility

No matter what laptop you're using, IQShare Button Gen2 is compatible with all mainstream operating systems including Windows, macOS, ChromeOS and Linux.

LET'S BUILD A
STRATEGIC BUSINESS
WITH OUR COMPANY

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed
do eiusmod tempor incididunt ut labore et dolore magna
aliqua. Ut enim ad minim veniam, quis nostrud exercitation
ullamco laboris nisi ut aliquip ex ea commodo consequat.
Duis aute irure dolor in reprehenderit in voluptate velit
esse cillum dolore eu fugiat nulla in voluptate velit esse
cillum dolore eu fugiat nulla pariatur.



One click to share wirelessly


Cable-free | Two-way touch control

One click and share the screen content of your laptop instantly, IQShare Button Gen2 with wireless presentation system frees you from cables and adapters. It supports touch control from both your personal screen and IQTouch, which brings the greatest convenience to the presenters.



4K screen mirror

Enjoy every detail of your presentation with up to 4K UHD screen sharing. IQShare Button Gen2 ensures crystal clear image and smooth video transmission from your personal device to the room display effortlessly.





Bring your own meeting

BYOM, as a natural extension of BYOD, allows wirelessly accessing the camera of devices like IQTouch, AHY500 to have a video conference with your preferred UC platform. In addition, BYOM camera control is also supported.



Flexible content sharing

Sharing can be very flexible, whether it's screen sharing, program window sharing, or file sharing.

Share any files you want. Select the sharing mode as the entire screen or preferred content to ensure privacy. Audio, video, photos or documents can be presented to enrich your classroom or meeting interaction.



Guest-friendly sharing

For guests who don't have access to the company network, they can still present or share wirelessly with their laptops in your office through IQShare Button Gen2. Network connectivity is not a must for temporary users.



Multiple ideas presenting

Multiple Click-to-Share buttons can be connected, presenting various ideas by split screens simultaneously and stimulate brainstorming on one centered display.



Secure & stable transmission

By adopting the Advanced Encryption Standard (AES) of security and possessing interference resistance in complex network environments, thus enhancing the enduring stability of screen sharing, it prevents data leakage during the ideas sharing and empowers you a secure and smooth presentation without being disrupted.

2 types of buttons for choice



Model	H5	C5
Interface	HDMI(19PIN)USB-A	USB-C (With DisplayPort Alternate Mode)
Output resolution	4K@30FPS	4K@30FPS
Video standard	HDMI1.4	DP1.2, eDP1.4
USB standard	2.0	2.0
Audio	16bit 44KHz	16bit 44KHz
USB HID function	YES	YES
BYOM function	YES	YES

Specifications

Model	H5	C5
Supported system	Windows7/8/10, macOS, ChromeOS, Android, Linux; Any device supports HDMI output	Windows7/8/10, macOS, ChromeOS, Android, Linux; Any device supports full featured Type-C(DP Alt mode)
Touchback control	10 Points(Linux, Windows, ChromeOS) Mouse mode(macOS)	10 Points(Linux, Windows, ChromeOS) Mouse mode(macOS)
Wireless transmission protocol	IEEE 802.11 a/b/g/n/ac/ax	IEEE 802.11 a/b/g/n/ac/ax
Wi-Fi standard	2.4 GHz & 5 GHz	2.4 GHz & 5 GHz
Wireless transmission frame rate(depending on environment)	BYOD mode: Up to 60FPS BYOM mode: Up to 30FPS	BYOD mode: Up to 60FPS BYOM mode: Up to 30FPS
Input resolution	BYOD mode: Up to 4K 30FPS BYOM mode: Up to 1080P 30FPS	BYOD mode: Up to 4K 30FPS BYOM mode: Up to 1080P 30FPS
Video standard	HDMI 1.4	DP 1.2, eDP 1.4
Audio rate	16bit 44KHz	16bit 44KHz
Distance(between Button and IFP/BOX)	Max. 30m(depend on network condition)	Max. 30m(depend on network condition)
Authentication protocol	WPA2 Personal(WPA2-PSK)	WPA2 Personal(WPA2-PSK)
Security(encryption)	AES	AES
Interface	USB Type A; HDMI	USB Type C(With DisplayPort Alternate Mode)
Button	Cast button*1; Custom button*1(Linux, Windows and macOS are supported)	Cast button*1; Custom button*1(Linux, Windows and macOS are supported)
Power	5V, 0.9A, Max 4.5W	5V, 0.9A, Max 4.5W
Temperature range	Operating: 0°C to +40°C(+32°F to +104°F) Storage: -10°C to +60°C(+14°F to +140°F)	Operating: 0°C to +40°C(+32°F to +104°F) Storage: -10°C to +60°C(+14°F to +140°F)
Humidity range	Operating: 10% to 80% relative humidity Storage: 5% to 90% relative humidity	Operating: 10% to 80% relative humidity Storage: 5% to 90% relative humidity
Dimension(W*H*D)(mm)	63*175*17	63*175*17
Weight(g)	97.5	80

IQSHARE

THANKS

IQ Authorized Dealer



IQ Board Australia



6 Lakewood Blvd, Carrum Downs Victoria, 3201 AUSTRALIA



1300 472 627 (1300 IQBOARD)



www.iqboard.com.au



enquiries@iqboard.com.au